

GLOBAL AUTOMATE

SOLUTIONS

Increase Your Shop Floor Efficiency With Us!!!

Leveling Caster Wheel

Global Automate Solutions is a Professional Manufacturer of T Slot Aluminum Profiles & Accessories and Non-standard fasteners. The company is located in Pune city Maharashtra –India

The company firmly set up the concept of "quality first, credibility foremost"! Relying on the scientific management method, the company optimizes the supply chain, improves and explores new processing technics, brings in advanced processing equipment, and reduces production cost without compromising the quality of products to really benefit our customers.















T SLOT
ALUMINIUM
PROFILE &
ACCESSORIES

Contact Us -


Global Automate Solutions
95/1 Near Swami Samarth temple landgenagar Bhosari Pune 411039
Tel - +917972221755 / 9730382785/ 9850763285
Mail – salesglobalautomate@gmail.com
website - www.globalautomate.in

Leveling Caster Wheel

GD 40 LEVELING CASTER WHEEL








	Material:										
Model	①Carbon	stee <mark>l</mark> sta	mping	②Aluminum alloy			3MC Nylon				
	4 NBR	④NBR ⑤MC Nylon ⑥Surface treatment : Spraying & Galvanizing									
GD-40S	Recommended load/4pcs	Load capacity/pc	Wheel Diameter	Bolt	Size	Overall Height	Adjustable range	Mass/kg	Part No		
	100 kg	50 kg	42 mm	M8×10		71 mm	10 mm	0.35	91040		
GD-40F	Recommended load/4pcs	Load capacity/pc	Wh <mark>eel</mark> Diameter	Plate Hole Centers	Size of Plate	Overall Height	Adjustable range	Mass/kg	Part No		
	100 kg	50 kg	42 mm	49×49	63×63	71 mm	10 mm	0.35	91041		

Leveling Caster Wheel










	Material:								
Model	①Carbor	steel sta	mping	②Aluminum alloy			3MC Nylon		
	④NBR ⑤MC Nylon ⑥Surface treatment : Spraying & Galvanizing								
GD-60S	Recommended load/4pcs	Load capacity/pc	Wheel Diameter	Bolt Size		Overall Height	Adjustable range	Mass/kg	Part No
	500 kg	250 kg	50 mm	M12×15		82 mm	10 mm	0.7	91042
GD-60F	Recommended load/4pcs	Load capacity/pc	Wheel Diameter	Plate Hole Centers	Size of Plate	Overall Height	Adjustable range	Mass/kg	Part No
	500 kg	250 kg	50 mm	58×58	73×73	782mm	10 mm	0.7	91043








FOOT MESTER

92(3⁹/16') 125(4¹⁵/16')








FOOT MESTER



GD 100 LEVELING CASTER WHEEL




Model	Material: ①Carbon		mping	②Alu	ıminum a	lloy	3MC Nylon		
	4 NBR	⑤MC Nylon ⑥Surface treatment : Spraying & Galvanizing							
GD-100S	Recommended load/4pcs	Load capacity/pc	Wheel Diameter	Bolt Size		Overall Height	Adjustable range	Mass/kg	Part No
	1500 kg	750 kg	75 mm	M16×20		120 mm	12 mm	1.75	91046
GD-100F	Recommended load/4pcs	Load capacity/pc	Wheel Diameter	Plate Hole Centers	Size of Plate	Overall Height	Adjustable range	Mass/kg	Part No
	1500 kg	750 kg	75 mm	70×70	92×92	120 mm	12 mm	1.75	91047

Leveling Caster Wheel

GD 120 LEVELLING CASTER WHEEL





Model	Material: ①Carbon steel stamping ②Aluminum alloy ③MC Nylon ④NBR ⑤Surface treatment: Spraying & Galvanizing										
GD-120F	Recommended load/4pcs	Load capacity/pc	Wheel Diameter	Plate Hole Centers	Size of Plate	Overall Height	Adjustable range	Mass/kg	Part No		
	2000 kg	1000 kg	75 mm	70×70	95×95	120 mm	12 mm	1.73	91048		